

Predicting Neighbor Goodness in Collaborative Filtering

Alejandro Bellogín and Pablo Castells

Universidad Autónoma de Madrid
Escuela Politécnica Superior
Francisco Tomás y Valiente 11, 28049 Madrid, Spain
{alejandro.bellogin,pablo.castells}@uam.es

Abstract. Performance prediction has gained increasing attention in the IR field since the half of the past decade and has become an established research topic in the field. The present work restates the problem in the subarea of Collaborative Filtering (CF), where it has barely been researched so far. We investigate the adaptation of clarity-based query performance predictors to define predictors of neighbor performance in CF. The proposed predictors are introduced in a memory-based CF algorithm to produce a dynamic variant where neighbor ratings are weighted based on their predicted performance. The approach is tested with encouraging empirical results, as the dynamic variants consistently outperform the baseline algorithms, with increasing difference on small neighborhoods.

Keywords: recommender systems, collaborative filtering, neighbor selection, performance prediction, query clarity.

1 Introduction

Collaborative Filtering (CF) is a particularly successful form of personalized Information Retrieval, or personalized assistance over item choice problems in general [12,20]. CF has the interesting property that no item description is needed to recommend them, but only information about past interaction between users and items. Besides, it has the salient advantage that users benefit from other users' experience (opinions, votes, ratings, purchases, tastes, etc.), and not only their own, whereby opportunities for users' exposure to novel and unknown experiences with respect to previous instances are furthered, in contrast to other approaches that tend to reproduce the user's past, insofar as they examine the records of individual users in isolation.

CF is also based on the principle that the records of a user are not equally useful to all other users as input to produce recommendations [12]. A central aspect of CF algorithms is thus to determine which users form the best basis, and to what degree, to generate a recommendation for a particular user. Such users are usually referred to as *neighbors*, and their identification is commonly based on notions of similarity to the target user. The similarity of two users is generally based on a) finding a set of items

that both users have interacted with, and b) examining to what degree the users displayed similar behaviors (selection, rating, purchase, etc.) on these items. This basic approach can be complemented with alternative comparisons of virtually any user features the system may have access to, such as personal information, demographic data, or similar behaviors in external systems.

Thus, the more similar a neighbor is to the active user, the more his tastes are taken into account as good advice to make up recommendations. For instance, a common CF approach consists of predicting the utility of an item for the target user by a linear combination of the ratings of all his neighbors, where the ratings are weighted by the similarity between each neighbor and the user. It is also common to set a similarity threshold (or a maximum number of most similar users) to restrict the set of neighbors, in order to avoid the noisy disruption of long tails of dissimilar users in the recommendation.

Similarity has indeed proved to be a key element for neighbor selection in order to provide accurate recommendations. Neighbor trustworthiness and expertise have also been researched as relevant complementary criteria to select the best possible collaborative advice [15]. We believe however that further neighbor and data characteristics (individual or relative to the target user) can be exploited to enhance the selection and weighting of neighbors in recommendations. For instance, the size, heterogeneity, and other characteristics of the associated evidence (set of common known items, ratings, etc.), can be key to assess the significance of observations, the reliability of the evidence and the confidence of predictions, and the part of such elements in recommendations could be adjusted accordingly. Observations on users with little experience in common (where two or three coincidences of mismatches may lead to extreme similarity values) is far from being as significant as that on other users with a large subset of comparable history, and this difference should be accounted for in the CF algorithm. This type of issue is often mentioned and occasionally dealt with in the CF literature, but usually by hand-crafted solutions and manual tuning, rather than principled ways [4,12].

In this context, we research into notions of *neighbor goodness*, when seen as input for recommendation to a given user, where goodness should account for any aspect, besides similarity, that correlates with better results when the neighbor is introduced (or boosted) in computing a recommendation. Our proposed approach investigates the adaptation of performance prediction techniques developed in the IR field to assess neighbor goodness, where the latter is seen as an issue of *neighbor performance*. Specifically, we propose two neighbor goodness predictors, and measure their appropriateness by using them to introduce a dynamic enhancement in user-based CF, where neighbor ratings are weighted by their neighbor goodness. We show empiric evidence confirming that measurable improvements result from this approach.

The rest of the paper is organized as follows. Section 2 provides an overview of the state of the art in performance prediction in IR. In Section 3, the proposed approach is described, including the definition of the predictors and the formulation of rating prediction in CF as an aggregation operation with dynamic weights. Section 4 reports on the experimental work, where the proposed techniques are evaluated on a public dataset. Finally, Section 5 provides conclusions drawn from this work, along with potential lines for the continuation of the research.

2 Performance Prediction in Information Retrieval

Performance prediction in IR has been mostly addressed as a query performance issue, which refers to the performance of an IR system in response to a specific query. It also relates to the appropriateness of a query as an expression for a user information need. Dealing effectively with poorly-performing queries is a crucial issue in IR, and performance prediction provides tools that can be useful in many ways [22,23]. From the user perspective, it provides valuable feedback that can be used to direct a search, e.g. by rephrasing the query or providing relevance feedback. From the perspective of an IR system, performance prediction provides a means to address the problem of retrieval consistency: a retrieval system can invoke alternative retrieval strategies for different queries according to their expected performance (query expansion or different ranking functions based on the predicted difficulty). From the perspective of a system administrator, she can identify queries related to a specific subject that are difficult for the search engine, and expand the collection of documents to better answer insufficiently covered subjects (e.g. adding more documents to the collection). For distributed IR, performance estimations can be used to decide which search engine and/or database to use for each particular query, or how much weight to give it when its results are combined with those of other engines.

The prediction methods documented in the literature use a variety of available data, such as a query, its properties with respect to the retrieval space [7], the output of the retrieval system [5], or the output of other systems [3], as a basis for prediction. According to whether or not the retrieval results are used in the prediction, the methods can be classified into pre-retrieval and post-retrieval approaches [10]. The first type has the advantage that the prediction can be taken into account to improve the retrieval process itself. However, these predictors have the potential handicap, with regards to their accuracy, that the extra retrieval effectiveness cues available after the system response are not exploited [24]. In post-retrieval prediction, predictors make use of retrieved results [2,23,24]. Broadly speaking, techniques in this category provide better prediction accuracy compared to those in the previous category. However, computational efficiency is usually a problem for many of these techniques, and furthermore, the predictions cannot be used to improve the retrieval strategies, as the output from the latter is needed to compute the predictions in the first place.

Pre-retrieval query performance has been studied mainly based on statistic methods, though linguistic approaches have also been researched. Simple statistic approaches based on the inverse document frequency (IDF), and variations thereof, have been proposed [11,14,19], showing moderate correlation with query performance though. He & Ounis propose the notion of query scope as a measure of the specificity of a query, which is quantified as the percentage of documents in the collection that contain at least one query term [11]. Query scope is effective in inferring query performance for short queries in ad hoc text retrieval, though it seems very sensitive to query length [17].

More effective predictors have been defined in more formal probabilistic grounds based on language models with the so-called *clarity score*, which captures the (lack of) ambiguity in a query with respect to the collection, or a specific result set [7,23,24] (the second case thus falling in the category of post-retrieval prediction). In

this work, query ambiguity is meant to be “the degree to which the query retrieves documents in the given collection with similar word usage” [6]. Query clarity measures the degree of dissimilarity between the language associated with the query and the generic language of the collection as a whole. This is measured as the relative entropy, or Kullback-Leibler divergence, between the query and collection language models (with unigram distributions).

Analyzing the entropy of the language model induced by the query is indeed a natural approach since entropy measures how strongly a distribution specifies certain values, in this case, terms. In its original formulation [7], query clarity is defined as follows:

$$\begin{aligned} \text{clarity}(q) &= \sum_{w \in \mathcal{V}} p(w|q) \log_2 \frac{p(w|q)}{p_c(w)} \\ p(w|q) &= \sum_{d \in R} p(w|d)p(d|q), \quad p(q|d) = \prod_{w_q \in q} p(w_q|d) \\ p(w|d) &= \lambda p_{\text{ml}}(w|d) + (1-\lambda)p_c(w) \end{aligned}$$

with w being any term, q the query, d a document or its model, R the set of documents in the collection that contain at least one query term (it is also possible to take the whole collection here), $p_{\text{ml}}(w/d)$ the relative frequency of term w in document d , $p_c(w)$ the relative frequency of the term in the collection as a whole, λ a free parameter (set to 0.6 in [7]), and \mathcal{V} the entire vocabulary.

It was observed that queries whose likely relevant documents are a mix of disparate topics receive a lower score than those with a topically-coherent result set. A strong correlation was also found between the query clarity and the performance of the result set. Because of that, the clarity score method has been widely used for query performance prediction in the area. Some applications include query expansion (anticipating poorly performing queries as good candidates to be expanded), rank aggregation, link extraction in topic detection and tracking [16], and document segmentation [8]. A prolific sequel of variants and enhancements on the notion of clarity followed the original works [8,11].

Aside the statistic approaches, linguistic methods have also been researched. Mothe & Tanguy extract 16 query features and study their correlation with respect to recall and average precision [18]. The 16 features were classified into three different classes according to the linguistic aspects that are analyzed: morphological (such as number of words, word length, morphemes per word, proper nouns, acronyms, numerals, etc.), syntactic (number of conjunctions, prepositions, pronouns, syntactic depth, etc.), and semantic features (polysemy value). The authors found that many variables do not have a significant impact on any performance measure, and only the most sophisticated syntactic and semantic features, such as polysemy, syntactic links span, or the number of proper nouns, were found to be correlated with precision and recall.

3 Neighbor Performance in Collaborative Filtering

Starting from the work on performance prediction in IR, our research addresses the enhancement of neighbor selection techniques in CF by introducing the notion of neighbor performance, as an additional factor (besides similarity) to automatically tune the neighbor’s participation in the recommendations, according to the expected goodness of their advice.

Our approach investigates the adaptation of the query clarity approach from IR to CF, as a basis for finding suitable predictors. This involves finding a meaningful equivalence or translation of the retrieval spaces involved in ad-hoc IR (queries, words, documents) into the corresponding elements of a CF setting (users, items, ratings), in order to provide a specific formulation. After this, we test the effectiveness of the defined predictors by introducing and testing a dynamic variant of memory-based CF, in which the weights of neighbors are dynamically adjusted based on their expected effectiveness.

3.1 Predicting Good Neighbors

Inspired by the clarity score defined for query performance [7], we consider its adaptation to predict neighbor performance in collaborative recommendation. As introduced in section 2, the original clarity score for Web retrieval is defined as:

$$\text{clarity}(q) = \sum_{w \in \mathcal{V}} p(w|q) \log_2 \frac{p(w|q)}{p_c(w)}, \quad (1)$$

where the three following key elements are involved:

- $w \in \mathcal{V}$: the summation is performed over all the words in the vocabulary, since a query (the element of interest) is composed by words.
- $p(w/q)$ defines the language model of the query.
- $p_c(w)$ establishes the language model of the collection.

In essence, the clarity score captures the lack of ambiguity (uncertainty) in a query, by computing the distance between the language models induced by the query and the collection. Cronen-Townsend et al showed that clarity is correlated with performance, because the less ambiguous a query, the more chances are that the system will return a good result in response [7]. Cronen-Townsend’s experiments thus seem to confirm the underlying hypothesis that the system performance is largely influenced by the amount of uncertainty involved in the inputs it takes to build the retrieval result. That is, the uncertainty should correlate negatively with the performance level one may a priori expect.

CF systems rank and recommend items without an explicit user query. However, the system uses other inputs that may also determine the resulting performance. In analogy to the work on query clarity, we may hypothesize that the amount of uncertainty involved in a user neighbor may be a good predictor of his performance. In this case, the uncertainty can be understood as the ambiguity of the user’s tastes,

and it can be approximated as an adaptation of equation (1) to compute the clarity of users.

There are many possible ways to map the terms in equation (1) to elements of CF in meaningful ways, many of which we have studied before reaching the formulation proposed herein, which goes as follows. First, based on the common view of users in CF as a set of weighted items, making an analogy between items and the words in query clarity formulation leads to the following formula:

$$\text{clarity}_{\mathcal{I}}(u) = \sum_{i \in \mathcal{I}} p(i|u) \log_2 \frac{p(i|u)}{p_c(i)}$$

Now we need to define the user and collection language models. The latter could be approximated under different criteria such as item popularity (e.g. based on the sum of ratings of each item), but for the sake of simplicity we assume a uniform distribution:

$$p_c(i) = \frac{1}{|\mathcal{I}|}$$

For the user language model, we should use the relative frequencies of items in users, but since each user does not rate the same item more than once, we modify it in order to include in the formulation the rating value of the user for that item, which is linearly smoothed with the collection frequency of the item:

$$p(i|u) = \lambda \frac{r(u,i) - r_{\min}}{r_{\max} - r_{\min}} + (1 - \lambda) p_c(i),$$

where r_{\max} and r_{\min} are the extremes in the scale of possible rating values. We refer to the magnitude thus defined as the *item-based user clarity* $IUC(u) = \text{clarity}_{\mathcal{I}}(u)$. The same as query clarity captures the lack of ambiguity in a query, user clarity is expected to capture the lack of ambiguity in a user's tastes.

On the other hand, clarity can be defined differently, simply by interpreting the "words" in a different way. For example, a user can be modeled as a set of users who rated similar items to those she rated.¹ In this view, and following analogous steps as in the definition of IUC, we derive the following formulation:²

¹ This can be thought of as an item-based view in CF.

² A simplification is made in this formulation: instead of defining $p(v|i)$ as $p(i/v)p(v)/p(i)$, we smooth the normalized rating value linearly with the collection frequency, similarly to the smoothing in the definition of $p(i|u)$ in IUC.

$$\begin{aligned}
\text{clarity}_u(u) &= \sum_{v \in \mathcal{U}} p(v|u) \log_2 \frac{p(v|u)}{p_c(v)} \\
p(v|u) &= \sum_{i: r(u,i) \neq 0} p(v|i) p(i|u) \\
p(v|i) &= \lambda \frac{r(v,i) - r_{\min}}{r_{\max} - r_{\min}} + (1-\lambda) p_c(v) \\
p_c(v) &= \frac{1}{|\mathcal{U}|}
\end{aligned}$$

We refer to this magnitude as the *user-based user clarity* $\text{UUC}(u) = \text{clarity}_u(u)$. Analogously, item clarities could be defined with respect to the space of users or the space of items, but we shall focus here only on the user-oriented clarity.

Having thus defined the notion of user clarity by the two proposed formulations, the question is whether IUC and UUC can serve as neighbor performance predictors (following the analogy to query clarity as a predictor of query performance), and as such, whether their predictive power can be leveraged to dynamically weight the contribution of neighbors in CF in a way that improves the quality of recommendations. We address this in the next section.

3.2 Rating Prediction as a Dynamic Aggregation of Utilities

The same as performance prediction in IR has been used to optimize rank aggregation, in our proposed view each user's neighbor is seen as a retrieval subsystem (or criteria) whose output is to be combined to form the final system output (the recommendations) to the user.

A common utility-based formulation for rating prediction in memory-based CF, in a user-based, mean-centered variant [1], can be expressed as:

$$r(u,i) = \bar{r}(u) + C \sum_{v \in N[u]} \text{sim}(u,v) \cdot (r(v,i) - \bar{r}(v)), \quad (2)$$

where $N[u]$ is the set of neighbors of the active user, $\bar{r}(u)$ is the average of all u 's ratings, and C is a normalizing factor which can be defined as e.g.

$$C = \frac{1}{\sum_{v \in N[u]} |\text{sim}(u,v)|}$$

Note that this particular formulation of memory-based CF is chosen here without loss of generality, as our approach can be developed in equivalent terms for alternative CF variants (not mean-centered, item-based, etc. [1]).

The term $r(u,i)$ in equation (2) can be seen as a retrieval function that aggregates the output of several utility subfunctions $r(v,i) - \bar{r}(v)$, each corresponding to a recommendation given by a neighbor of the target user. The combination of utility

values is defined as a linear combination (translated by $\bar{r}(u)$) of the neighbor's ratings, weighted by their similarity $\text{sim}(u,v)$ (scaled by C) to the target user. The computation of utility values in CF can thus be viewed as a case of rank aggregation in IR, and as such, a case for the enhancement of the aggregated result by predicting the performance of the recommendation outputs being combined. In fact, the similarity value can be seen as a prediction of how useful the neighbor's advice is expected to be for the active user, which has proved to be quite an effective approach. The question is whether other performance factors, beyond similarity can be considered in a way that further enhancements can be drawn.

We thus aim to investigate whether CF results can be further enhanced by introducing, in addition to a similarity function, further effectiveness predictors, such as IUC and UUC defined in the previous section, into the weights in the linear combination of neighbor ratings. The idea can be expressed as rewriting equation (2) as:

$$r(u,i) = \bar{r}(u) + C \sum_{v \in N[u]} \gamma(v,u,i) \cdot \text{sim}(u,v) \cdot (r(v,i) - \bar{r}(v))$$

where $\gamma(v,u,i)$ is a predictor of the performance of neighbor v .

In the general case, γ can be sensitive to the specific target user u , the item i , and in general it could even take further inputs from the recommendation space and context. As a first step, we explore the simple case when the predictor only examines the data related to the neighbor user v . In particular, we consider $\gamma(v,u,i) = \text{IUC}(v)$ and $\gamma(v,u,i) = \text{UUC}(v)$. In the next section we show the experiments we have set up in order to observe the effect of the introduction of these predictors in the computation of collaborative recommendations.

4 Experimental Work

The experiment reported here has been carried out using the MovieLens dataset, and more specifically the so-called "100K" set. The main variable with respect to which the behavior of the proposed algorithms is tested is the amount of sparsity, which we relate to the number of available ratings in the dataset: the larger this number, the lower the sparsity. To this purpose, we split the dataset into different partitions (training vs. test) of the data (10% to 90% in increments of 10%), with ten random cuts per sparsity level. The neighborhood size is another parameter with respect to which the results are examined.

The experiment consists of measuring final performance improvements when dynamic weights are introduced in a user-based CF. That is, the dynamic aggregation of neighbor ratings based on a prediction of their performance, when seen as individual recommenders, (as defined in section 3.2) is tested against the basic CF algorithm without dynamic weights.




Fig. 1. Performance comparison of CF with dynamic, clarity-based neighbor weighting, and standard CF, using neighborhoods of a) 100 users and b) 500 users.

Figure 1 shows the results for the two clarity-based predictors UUC and IUC defined in section 3.1, when taking neighborhood sizes of 100 and 500 users respectively. Each graphic shows performance values (MAE) for the nine cuts described above.

Our method clearly improves the baseline with the smaller neighborhoods (by up to 9% for 60-80% cuts), and gets almost equal performance with neighborhoods of size 500 users. This indicates that our method works particularly well when limited neighborhoods are used, and the improvement fades down to the baseline as they are enlarged. This means that our method is more efficient than the static option with respect to this variable, i.e. that it is able to get better results out of more economic neighborhood sizes.




Fig. 2. Comparison of standard CF with dynamic, clarity-based neighbor weighting, and standard CF, using neighborhoods varying from 50 to 500 users, at a) 60% cut, b) 80% cut.

Enlarging neighborhoods comes at an important computational cost (of $O(k \cdot n \cdot m)$ order, k being neighborhood size, n the total number of users, and m the number of items in the system) in a CF system. Computational cost being one of the well-known barriers in the area [9], achieving equal (or improved) performance at a lower cost is a

relevant result. Let us recall that the total number of users in this dataset is 943, which means that 100 users is about a 10% of the total user community. CF systems described in the literature commonly take neighborhood sizes of 5 to 500 users for this dataset, 50 to 200 being the most common range [20,21].

The trend in the evolution of performance with neighborhood size is clear in Figure 2, showing the behavior of clarity-based predictors at different sizes, setting the sparsity cut at a) 60% and b) as a double check, 80% (which are standard ranges in the CF literature). It can be seen that the shape of the curves in both figures is very similar, evidencing the consistent superiority of clarity-based adjusted CF with small to medium (i.e. usual) neighborhood sizes (e.g. over 10% improvement at size = 50 users). With neighborhoods of only 100 users, it can be seen that our method performs as well as the baseline algorithm with 250 to 300 users, which exemplifies the benefit in terms of the computational cost (time and memory) needed to achieve the same performance.

5 Conclusions

Our work explores the use of performance prediction techniques to enhance the selection and weighting of neighbors in CF. The proposed approach consists of the adaptation of performance predictors originally defined for ad-hoc retrieval, into the CF domain, where users and items (and ratings), instead of documents and queries, make up the problem space. The proposed predictors are used to introduce dynamic weights in the combination of neighbor ratings in the computation of collaborative recommendations, in an approach where the better the expected performance of a neighbor is, the higher weight is assigned to his ratings in the combination.

The reported experimental results show performance improvements in MAE as a result of this dynamic weights adjustment approach, which supports the predictive power of clarity-based techniques in CF as a basis for this kind of adjustment. The results are particularly positive in small neighborhood situations. Further planned work includes the exploration of further variants of the clarity-based predictor, as well as new predictors based on other methods besides clarity, which have achieved good results in IR. Studying the correlation of the predicted neighbor goodness with actual performance values is work in progress as well at the time of this writing. This involves defining new specific performance metrics applying to neighbors, which are currently not available in the literature.

Beyond our current research presented here, recommender systems, and personalised IR at large, are particularly propitious areas for the introduction of performance prediction techniques, because of the naturally arising need for combination of multiple diverse evidence and strategies, and the uncertainty (and thus the variable accuracy) involved in the exploitation of implicit evidence of user interests. For instance hybrid recommender systems combine a content-based and a collaborative approach. Performance predictors could be researched to weight the influence of each component in the final recommendations (e.g. CF is sensitive to gray sheep or new item situations, while content-based filtering is not). Personalized ah-hoc retrieval is another interesting problem for this approach, where the weight of

a query vs. implicit evidence from user history can be dynamically adjusted depending on the predicted effectiveness of each side. To the best of our knowledge, the introduction of performance predictors in these areas has been barely addressed, if at all, as a formal problem.

Acknowledgments. This work was supported by the Spanish Ministry of Science and Innovation (TIN2008-06566-C04-02) and the Ministry of Industry, Tourism and Commerce (CENIT-2007-1012).

References

1. Adomavicius, G., Tuzhilin, A.: Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. *IEEE Transactions on Knowledge and Data Engineering* 17(6), 734--749 (2005)
2. Amati, G., Carpineto, C., Romano, G.: Query difficulty, robustness, and selective application of query expansion. In: McDonald, S., Tait, J. (eds.) *Advances in Information Retrieval, LNCS*, vol. 2997, pp. 127--137. Springer, Heidelberg (2004)
3. Aslam, J.A., Pavlu, V.: Query hardness estimation using Jensen-Shannon divergence among multiple scoring functions. In: Amati, G., Carpineto, C., Romano, G. (eds.) *Advances in Information Retrieval, LNCS*, vol. 4425, pp. 198--209. Springer, Heidelberg (2007)
4. Baltrunas, L., Ricci, F.: Locally adaptive neighborhood selection for collaborative filtering recommendations. In: Nejdl, W., Kay, J., Pu, P., Herder, E. (eds.) *Adaptive Hypermedia and Adaptive Web-Based Systems, LNCS*, vol. 5149, pp. 22--31. Springer, Heidelberg (2008)
5. Carmel, D., Yom-Tov, E., Darlow, A., Pelleg, D.: What makes a query difficult? In: 29th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2006), pp. 390--397. ACM Press, New York, (2006)
6. Cronen-Townsend, Steve, Zhou, Yun, Croft, W.: Precision prediction based on ranked list coherence. *Information Retrieval* 9(6), 723--755 (2006)
7. Cronen-Townsend, S., Zhou, Y., Croft, B.W.: Predicting query performance. In: 25th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2002), pp. 299--306. ACM Press, New York (2002)
8. Diaz, F., Jones, R.: Using temporal profiles of queries for precision prediction. In: 27th annual international conference on Research and development in information retrieval (SIGIR 2004), pp. 18--24. ACM Press, New York (2004)
9. Goldberg, K., Roeder, T., Gupta, D., Perkins, C.: Eigentaste: A constant time collaborative filtering algorithm. *Information Retrieval* 4(2), 133--151 (2001)
10. Hauff, C., Hiemstra, D., de Jong, F.: A survey of pre-retrieval query performance predictors. In: 17th ACM conference on Information and knowledge management (CIKM 2008), pp. 1419--1420. ACM Press, New York (2008)
11. He, B., Ounis, I.: Inferring query performance using pre-retrieval predictors. In: Apostolico, A., Melucci, M. (eds.) *String Processing and Information Retrieval, LNCS*, vol. 2346, pp. 43--54. Springer, Heidelberg (2004)
12. Herlocker, J., Konstan, J.A., Riedl, J.: An empirical analysis of design choices in neighborhood-based collaborative filtering algorithms. *Information Retrieval* 5(4), 287--310 (2002)
13. Jensen, E.C., Beitzel, S.M., Grossman, D., Frieder, O., Chowdhury, A.: Predicting query difficulty on the web by learning visual clues. In: 28th annual international ACM SIGIR

- conference on Research and development in information retrieval (SIGIR 2005), pp. 615--616. ACM Press, New York (2005)
14. Jones, K.S.: A statistical interpretation of term specificity and its application in retrieval. *Journal of Documentation* 28(1), 11--20 (1972)
 15. Kwon, K., Cho, J., Park, Y.: Multidimensional credibility model for neighbor selection in collaborative recommendation. *Expert Systems with Applications* 36(3), 7114--7122 (2009)
 16. Lavrenko, V., Allan, J., Deguzman, E., Laflamme, D., Pollard, V., and Thomas, S. Relevance models for topic detection and tracking. In: 2nd international conference on Human Language Technology Research (HLT 2002), pp. 115--121. Morgan Kaufmann Publishers Inc., San Francisco (2002)
 17. Macdonald, C., He, B., Ounis, I.: Predicting query performance in intranet search. In: *ACM SIGIR Workshop on Predicting Query Difficulty – Methods and Applications*. Salvador, Brazil (2005)
 18. Mothe, J., Tanguy, L.: Linguistic features to predict query difficulty. In: *ACM SIGIR Workshop on Predicting Query Difficulty – Methods and Applications*. Salvador, Brazil (2005)
 19. Plachouras, V., He, B., Ounis, I.: University of Glasgow at TREC2004: Experiments in Web, Robust and Terabyte tracks with Terrier. In: 13th Text Retrieval Conference (TREC 2004). Gaithersburg, Maryland (2004)
 20. Wang, J., de Vries, A.P., Reinders, M.J.T.: Unifying user-based and item-based collaborative filtering approaches by similarity fusion. In: 29th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2006), pp. 501--508. ACM Press, New York (2006)
 21. Xue, G.R., Lin, C., Yang, Q., Xi, W., Zeng, H.J., Yu, Y., Chen, Z.: Scalable collaborative filtering using cluster-based smoothing. In: 28th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2005), pp. 114--121. ACM Press, New York (2005)
 22. Yom-Tov, E., Fine, S., Carmel, D., Darlow, A.: Learning to estimate query difficulty: including applications to missing content detection and distributed information retrieval. In: 28th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2005), pp. 512--519. ACM Press, New York, (2005)
 23. Zhou, Y., Croft, B.W.: Ranking robustness: a novel framework to predict query performance. In: 15th ACM conference on Information and knowledge management (CIKM 2006), pp. 567--574. ACM Press, New York (2006)
 24. Zhou, Y., Croft, B.W.: Query performance prediction in web search environments. In: 30th annual international ACM SIGIR conference on Research and development in information retrieval (SIGIR 2007), pp. 543--550, ACM Press, New York (2007)